



BENEFITS


- ✓ Finish: Stainless steel wire drawing
- ✓ Stainless steel panel and handle
- ✓ RFID MIFARE® technology, 100,000 times write life for keycard, contactless reading keycard
- ✓ Euro mortise
- ✓ Openings 20,000 times for one new battery pack
- ✓ Auto deadbolt
- ✓ Free-engage handle while locking
- ✓ Passage mode activate by passage card for meeting case
- ✓ Do not disturb (DND) function for hotels: While thumb turn is on from inside, the lock will refuse the keycard outside by show red light
- ✓ Panic release function: the deadbolt and latch are automatically retracted by inside handle shaking to easy egress when emergency happens
- ✓ Hotel Lock System™ required
- ✓ 30mm-35mm thickness door
- ✓ Each hotel lock equipped double clock, control the guests check-in and departure time accurately, Make your management of rooms easily.

SPECIFICATIONS

- ✓ Model: HL5215
- ✓ Power: LR6 (AA)battery x 4pcs
- ✓ Low power alarm voltage: 4.8V
- ✓ Communication: 13.56MHz RFID (with keycard)/infrared (with LMA or WDR)
- ✓ Card support: MIFARE® S50 plus S70
- ✓ Working Distance: 45mm Max
- ✓ Working Temperature: 0-60°C
- ✓ Working Humidity: 15~85%RH
- ✓ Static current: < 30uA
- ✓ Working current: < 150mA
- ✓ Memory: 800 Transactions include Time/Date/Card ID/Card type/Room ID
- ✓ Software: Hotel lock system™
- ✓ Gross Weight: 2.3KG
- ✓ Package: 6pcs/Carton at 50.0 X 42.0 X 33.0 CM
- ✓ Content: Front/Back panel, mortise, cylinder, keyx2, battery-pack, manual/Strike
(no battery included, no card)

USEAGE

- ✓ Guest card: Reception complete program Guest card by give a begin and expiry date for a room (rooms). Guest access room by read this card on lock
- ✓ Master card: Hold by housekeeping to access to all rooms of hotels
- ✓ Floor card: Hold by clean staff to enter the rooms in one floor.
- ✓ Building card: Hold by manager to enter the rooms in one building
- ✓ Passage card: Once this card been read on one door, this door could be access by without reading keycard
- ✓ Emergency card: Enter the all rooms



Slotting diagram [L5XXX plus No.C3S mortise]

